




Be ahead



# RANCH D




• Product

• TECHNICAL FEATURES

• ACCESSORIES


• DISCOVER U-LINK



Anti-terrorist fixed bollard. Suitable for protecting sensitive sites.

**RANCH D**

Code	Name		Description
P970096 00001	RANCH D 275/800C L		Anti-terrorist fixed bollard . 800 mm and . Fixed anti-terrorism bollard, with shaft height 800 mm and diameter 275 mm. Version with cap with lights and RAL 7015 painted steel shaft.
P970096 00002	RANCH D 275/800C LI		Anti-terrorist fixed bollard . 800 mm and . Fixed anti-terrorism bollard, with shaft height 800 mm and diameter 275 mm. Version with cap with lights and stainless steel shaft.




· Product


· TECHNICAL FEATURES

· ACCESSORIES

· DISCOVER U-LINK



	RANCH D 275/800CN L	RANCH D 275/800C L	RANCH D 275/800C LI
Rod height		800 mm	
Rod diameter		275 mm	
Rod thickness		10 mm	
Operator type		fixed bollards	
Rod treatment	ral 7015 painted steel and reflective film h: 100 mm		aisi304 or aisi316 stainless steel
Break-in proof		730000 J	
Antiterrorism: reference standard		pas 68:2010 7500/50/n2 crash simulated	





# RANCH D




· Product

· TECHNICAL FEATURES

· **ACCESSORIES**

· DISCOVER U-LINK

	Code	Name	Description
	P800104	<b>ALLU</b>	Power supply for Gas and Fixed Bollards with Lights 24 Vac (up to 80 bollards)





· Product

· TECHNICAL FEATURES

· ACCESSORIES

· DISCOVER U-LINK

## What is U-Link?

The innovative technology that gives you new power

An exclusive Bft innovation: U-Link (Universal Link) is an exclusive Bft platform that allows the creation of technological ecosystems. In Home Automation Access, it allows communication with all the home access automation devices of any brand. So you save time and can control everything with ease, without any worries.

### It is intuitive

Easy to install and use

### It is scalable

Allows an unlimited number of devices to be added

### It is flexible

Allows the creation of groups of interconnected products

### It is practical

Works with or without a web connection

### It is functional

Parameters can be controlled remotely via dedicated applications

Product

TECHNICAL FEATURES

ACCESSORIES

**DISCOVER U-LINK**

## All in one scheme: discover this amazing technology

A unique platform **allowing the creation of technological ecosystems** offering a wide range of solutions for different sectors.

Thanks to the B-Eba cards and the Clonix U-Link receiver, this proprietary platform featured by Bft products adapts to any protocol and access automation product (even BFT, non-native U-Link or non-BFT products), and is used in various sectors. Each device thus becomes smart and can be interconnected with other systems, thanks to a language that becomes universal.

### U-Base 2



Software to install and easily and comfortably carry out maintenance and identify any malfunction of U-link compatible operators.

### U-SDK



U-SDK is the innovative application that can make Bft automation systems compatible and easily integrated with a BMS network for the supervision of buildings.



### Magistro

An innovative and easy to install system for easily managing all home automation systems.



### U-Control

U-Control is the application that helps the quick and easy integration of BFT automation systems in large building management systems.



### Blue-Entry


Technology abreast of the times and attentive to daily needs: thanks to the use of U-link the house gate can now be opened with just your smartphone.



### Clonix U-Link

Allows the connection of non-native U-Link products or non-Bft products to U-Link systems.

Bft operators, non-native U-Link products or a product belonging to other brands: can they be connected to U-Link? Yes, thanks to the Clonix receivers. Accessories that know no limits.



### B-Eba

A direct line with your operators.

B-Eba expansion cards allow the connection of external devices, such as PCs, smartphones and tablets, to a Bft operator or Clonix receiver, or the connection of several Bft products in a U-Link network. These accessories integrate with U-Link technology and Bluetooth, Z-Wave, TCP/IP protocols, as well as the RS485 serial connection.

A device that fully translates what Bft means for interconnectivity.



INFORMATION REGARDING THE PROTECTION OF THE INDUSTRIAL AND INTELLECTUAL PROPERTY RIGHTS OF BFT. BFT S.p.A. protects its industrial property by depositing trademarks, patents, models and designs. The intellectual property of BFT S.p.A. is protected by copyright law. BFT S.p.A. also protects its know-how by taking measures to protect the technical and commercial information inherent in its company and products. All the products in this catalogue are ORIGINAL BFT MODELS and only BFT S.p.A is authorised to produce them and market them anywhere in the world. All the commercial names in this catalogue are owned by BFT S.p.A., and only BFT S.p.A. is authorised to use them in relation to the corresponding merchandise category. FALSIFIERS WILL BE PROCEEDED AGAINST IN ACCORDANCE WITH BOTH CIVIL AND CRIMINAL LAW. THESE CONDITIONS NOT ONLY GUARANTEE THE INTELLECTUAL PROPERTY RIGHTS OF BFT, BUT ALSO PROTECT CUSTOMERS BY GUARANTEEING THAT THE PRODUCTS THEY ARE PURCHASING ARE ORIGINAL BFT PRODUCTS RESULTING FROM STUDIES AND DESIGNS WITHIN THE BFT COMPANY.